
Pulley Dimension Sheet

| CLEANF | | X |
|--------|--|---|
|--------|--|---|

| | | | | | 1 | | |
|--|--|-------------|---------------|------------------------------|---------------------------|--------------|--|
| | ne Information | | | Today's Date | | | |
| | acturer/ Model | | | Fan Information | | | |
| Model | | | | # of Blades | | | |
| Engine Manufacturer/ Model | | Fan Type | Puller Pusher | | | | |
| Machir | Machine Serial Number | | Rotation | Clockwise Counter Clockwise | | | |
| Engine Serial Number (looking th | | | | | gh fan towards fan drive) | | |
| Electrical System Voltage 12V | | 12V | 24V | Electronic Viscous Clutch | Yes | No | |
| Compr | Compressed Air System Yes No Fan Drive Information | | | | | | |
| Horsepower | | | | Bolt Circle (LK) | | | |
| Engine Rpm | | | | # Of Mounting Bolts | | | |
| Fan Rpm | | | | Mounting Bolts (SD) | Ø | Thread Pitch | |
| Crank Pulley Diameter | | | | Pilot Diameter (AD) | | | |
| Fan Pulley Diameter | | | | Pilot | Male | Female | |
| Custon | ner Information | | | | | | |
| Compa | ny Name | | | Zip/ Postal Code | | | |
| Compa | ny Address | | | Telephone Number | | | |
| City | | | | Fax Number | | | |
| State / | Province | | | Contact Name | | | |
| Countr | у | | | Email Addresss | | | |
| Notes | | | | • | | | |
| | | | | | | | |
| ***All Dimensions Should Use the same reference point at the Radiator*** | | | | | | | |
| DIM | | Description | | | Measurment | | |
| Α | Distance From Radiator to Face of the Fan Drive Pulley | | | | | | |
| 54 | Distance from the Radiator to the closest object that could contact the fan blades | | | | | | |
| B1 | on the engine side (Crank Pulley, Finger Guard, Brace, Etc) | | | | | | |
| | Distance from the Center Line of the fan to the clostest object referenced in | | | | | | |
| В2 | dimension B1 | | | | | | |
| | | | | | | | |
| С | Shroud Depth | | | | | | |
| D | Fan Diameter | | | | | | |
| | Shroud Opening Diameter | | | | | | |
| E1 | Distance from the Radiator to the closest object that could contact the fan blades | | | | | | |
| | on the Radiator side (brace | | | | | | |
| E2 | Distance from the Center Line of the fan to the clostest object referenced in | | | | | | |
| | dimension E1 | | | | | | |
| F | Distance from the radiator to the front side of the fan blade | | | | | | |
| G | Distance from the radiator to the back side of the fan blade | | | | | | |
| S | Minimum Tip Clearance (distance from tip of fan blade to fan shroud) | | | | | | |
| | | | | | | | |



Measuring Bolt Circles

4-Lug



Middle of two holes directly across from one another.

5-Lug



Back of hole to the center of the second bolt hole.

6-Lug



Same as 4-lug



Same as 4-lug